


## Claims

1. Compounds of the general formula




- 5 wherein

- R<sup>1</sup> represents heterocyclyl;  
R<sup>2</sup> represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, hydroxy or cyano;  
10 R<sup>3</sup> represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;  
R<sup>4</sup> represents hydrogen, or unsubstituted lower alkyl;  
R<sup>5</sup> represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;  
R<sup>6</sup> represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;  
R<sup>7</sup> represents hydrogen, or unsubstituted lower alkyl;  
15 R<sup>8</sup> represents hydrogen, lower alkyl, lower cycloalkyl, aryl, or heterocyclyl;  
or R<sup>4</sup> and R<sup>8</sup> together with the nitrogen atom to which they are attached represent heterocyclyl;

and pharmaceutically acceptable salts thereof.

- 20 2. Compounds of claim 1 wherein R<sup>1</sup> represents a five-membered heterocycle with one to three heteroatoms selected from nitrogen, oxygen, and sulfur.
3. Compounds of claims 2 wherein R<sup>1</sup> represents a triazolyl ring.
- 25 4. Compounds of claim 2 wherein R<sup>1</sup> represents an oxazolyl ring.
5. Compounds of claim 1 wherein at least one of R<sup>2</sup>, R<sup>3</sup>, R<sup>5</sup> and R<sup>6</sup> is not hydrogen.
6. Compounds of claim 1 wherein R<sup>2</sup> represents lower alkoxy.

7. Compounds of claim 6 wherein  $R^2$  represents methoxy.
8. Compounds of claim 1 wherein  $R^4$  represents hydrogen.
- 5 9. Compounds of claim 1 wherein  $R^4$  represents branched lower alkyl.
10. Compounds of claim 1 wherein  $R^3$ ,  $R^6$ , and  $R^7$  represents hydrogen.
- 10 11. Compounds of claim 4 wherein  $R^2$  represents lower alkoxy and  $R^3$ ,  $R^4$ ,  $R^6$  and  $R^7$  represent hydrogen.
12. Compounds of claim 11 wherein  $R^1$  represents unsubstituted oxazolyl.
- 15 13. Compounds of claim 1 wherein  $R^8$  represents branched lower alkyl, aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.
- 20 14. Compounds of claim 4 wherein  $R^1$  represents an oxazolyl ring, according to the general formula:



(IX)

wherein  $R^2$  to  $R^8$  are defined as in Claim 1, and

- 25  $R^9$  represents hydrogen, lower alkyl, or aryl-lower alkyl;  
 $R^{10}$  represents hydrogen.









15. Compounds of Claim 14 wherein R<sup>9</sup> represents methyl, ethyl or benzyl.

16. Compounds of Claim 14 wherein R<sup>9</sup> and R<sup>10</sup> are hydrogen.

17. Compounds of claim 14 wherein R<sup>2</sup> represents lower alkoxy, R<sup>3</sup>, R<sup>4</sup>, R<sup>6</sup> and R<sup>7</sup> represent hydrogen and R<sup>8</sup> represents branched lower alkyl, aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

18. Compounds of claim 14 wherein R<sup>2</sup> represents methoxy.

19. A compound of claim 18, selected from:


	tert-Butyl[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate
	N-tert-Butyl-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamic acid tetrahydro-3(S)-furyl ester
	N-[3-(Benzamidomethyl)phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	Isopropyl [3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1-methyl-1-phenylethyl)oxalamide
	N-(1,1-Dimethylpropyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1,3,3-tetramethyl-butyl)oxalamide

	N-(1,1-Dimethylpropargyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	N-(2-Hydroxy-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	N-(1,1-Dimethyl-2-phenylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	Phenyl [3-[[[4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-[(phenylcarbamoyl)methyl]phenyl]oxalamide
	tert-Butyl [2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]carbamate
	N-(2-Amino-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide trifluoroacetate (1:1)
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-nitrophenyl)ethyl]oxalamide
	N-[3-(Aminomethyl)phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide trifluoroacetate (1:1)
	Methyl [3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(3-pyridyl)oxalamide
	N-[3-[(Benzenesulfonamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	N-(2-Dimethylamino-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide hydrochloride (1:1)

	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-methyl-1-(methylcarbamoyl)ethyl]oxalamide
	N-tert-Butyl-N'-[3-chloro-4-(5-oxazolyl)phenyl]oxalamide
	N-tert-Butyl-N'-[3-methoxy-4-(4-oxazolyl)phenyl]oxalamide

or a pharmaceutically acceptable salt thereof.

20. Compounds of claim 14 of the formula



wherein  $R^2$ ,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^7$ ,  $R^9$  and  $R^{10}$  are defined as above

10  $R^{11}$  and  $R^{13}$  is H or lower alkyl,  $m=1$  to 5 and

$R^{12}$  is heterocyclyl, or aryl other than 4-fluorophenyl.

21. Compounds of claim 20 wherein

15

$R^2$  is methoxy,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^9$ ,  $R^{10}$ ,  $R^{11}$  and  $R^{13}$  are hydrogen and wherein

$R^{12}$  is phenyl other than 4-fluorophenyl and heteroaryl.

22. Compounds of claim 21 wherein R<sup>12</sup> represents phenyl, a 5 or 6-membered monocyclic or 9 or 10-membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

5 23. Compounds of claim 22 selected from

table 1c<sup>1</sup>

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)-phenyl]-N'-[1,1-dimethyl-2-(4-methylphenyl)ethyl]oxalamide	
N-[1,1-Dimethyl-2-(2-methylphenyl)ethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(3-pyridyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)-phenyl]-N'-[1,1-dimethyl-2-(3-methylphenyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(2-thienyl)ethyl]oxalamide	
N-[2-(4-Benzyloxy-phenyl)-1,1-dimethyl-ethyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-[2-(4-Hydroxy-phenyl)-1,1-dimethyl-ethyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-(3-Methoxy-4-oxazol-5-yl-phenyl)-N'-[2-(4-methoxy-phenyl)-1,1-dimethyl-ethyl]-oxalamide	
N-[2-(2-Hydroxy-phenyl)-1,1-dimethyl-ethyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-(1,1-Dimethyl-2-phenyl-propyl)-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	


N-[2-(3-Hydroxy-phenyl)-1,1-dimethyl-ethyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-(3-Methoxy-4-oxazol-5-yl-phenyl)-N'-[2-(3-methoxy-phenyl)-1,1-dimethyl-ethyl]-oxalamide	
N-[2-[4-(Cyanomethoxy)phenyl]-1,1-dimethylethyl]-N'-(3-methoxy-4-(5-oxazolyl)phenyl)oxalamide	
2-[4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino] oxalyl]amino]-2-methylpropyl]phenoxy]acetic acid	
2-[2-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino] oxalyl]amino]-2-methylpropyl]phenoxy]acetic acid	
2-[3-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino] oxalyl]amino]-2-methylpropyl]phenoxy]acetic acid	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-2-(1-oxido-4-pyridyl)ethyl)oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-2-(1-oxido-3-pyridyl)ethyl)oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-2-(1-oxido-2-pyridyl)ethyl)oxalamide	
2-[3-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino] oxalyl]amino]-2-methylpropyl]phenoxy]acetic acid	
N-[2-(2-Benzofuranyl)-1,1-dimethylethyl]-N'-(3-methoxy-4-(5-oxazolyl)phenyl)oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-2-(3-methyl-2-benzofuranyl)ethyl)oxalamide	

N-[2-(7-Methoxy-2-benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(5-Methoxy-2-benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(6-Methoxy-2-benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
Benzyl 4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]benzoate	
4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]benzoic acid	
Benzyl 3-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]benzoate	
3-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]benzoic acid	
N-[2-(3-Benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
Benzyl 2-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-5-benzofurancarboxylate	
2-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-5-benzofurancarboxylic acid	
N-[2-(4-Methoxy-2-benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N'-[3-Methoxy-4-(5-oxazolyl)phenyl]-N-[2-(2,6-dimethyl-4-pyridyl)-1,1-dimethylethyl]oxalamide	



N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(2,6-dimethyl-1-oxido-4-pyridyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(2-methyl-4-pyridyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(2-methyl-1-oxido-4-pyridyl)ethyl]oxalamide	
2-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino] oxalyl]amino]-2-methyl propyl]-5-benzo thiophene carboxylic acid	

24. Compounds of claim 14 of the formula



5 wherein  $R^2$ ,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^7$ ,  $R^9$  and  $R^{10}$  are defined as above

$R^{11}$  and  $R^{13}$  is H or lower alkyl,  $m=1$  to 5 and

$R^{12}$  is heterocyclyl, or aryl other than 4-fluorophenyl.

10 25. Compounds of claim 24 wherein

$R^2$  is methoxy,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^{10}$ ,  $R^{11}$  and  $R^{13}$  are hydrogen and wherein

$R^{12}$  is phenyl other than 4-fluorophenyl and heteroaryl.

15


26. Compounds of claim 25 wherein R<sup>12</sup> represents phenyl or a 5 or 6-membered monocyclic or 9 or 10-membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

5 27. Compounds of claim 26 selected from

table 1c<sup>2</sup>

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-[(4-pyridyl)methyl]-1-cyclopentyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-cyclopentyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-[(4-pyridyl)methyl]-1-cyclopropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-cyclopropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-[(4-pyridyl)methyl]-1-cyclobutyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-cyclobutyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-[(4-pyridyl)methyl]-1-cyclohexyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-cyclohexyl]oxalamide	

28. Compounds of claim 14 of the formula



XII

wherein  $R^2, R^3, R^5, R^6, R^7, R^9$  and  $R^{10}$  are defined as above,

$R^{11}, R^{13}, R^{14}, R^{15}, R^{16}, R^{17}$  and  $R^{18}$  are H or lower alkyl and

$R^{19}$  is alkyl, cycloalkylalkyl, heterocyclalkyl or aryl alkyl.

29. Compounds of claim 28 wherein











$R^2$  is methoxy and  $R^3, R^5, R^6, R^9, R^{10}, R^{11}$  and  $R^{13}$  are hydrogen.

30. Compounds of claim 29 wherein  $R^{19}$  represents arylalkyl, branched lower alkyl, a 3 to 7 membered cycloalkyl alkyl, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclalkyl with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.


31. Compounds of claim 30 selected from

table 1d

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-[1,1-dimethyl-2-[4-[(2-pyridinyl)methylamino]methyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-[1,1-dimethyl-2-[4-[(2-pyridinyl)methylamino]methyl]ethyl]oxalamide	
N-[2-[4-(2-Furthylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-Dimethyl-2-[4-(2-thenylamino)phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2,2-dimethylpropylamino)phenyl]ethyl]oxalamide	

N-[2-[4-[(1H-Imidazol-2-yl)methylamino]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(4-pyridyl)methylamino]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-thiazolyl)methylamino]phenyl]ethyl]oxalamide	
N-[2-[4-(3-Furfurylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[5-(Hydroxymethyl)-2-furfurylamino]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(4-Benzylaminophenyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Hydroxybenzylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Cyanobenzylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(3-pyridyl)benzylamino]phenyl]ethyl]oxalamide	
N-[2-[4-(2-Fluorobenzylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

31. Compounds of claim 14 of the formula



XIII

wherein  $R^2, R^3, R^5, R^6, R^7, R^9$  and  $R^{10}$  are defined as above,  
 $R^{11}, R^{13}, R^{14}, R^{15}, R^{16}, R^{17}$  and  $R^{18}$  are H or lower alkyl and  
 $R^{20}$  is alkyl, cycloalkyl, aryl, heterocyclyl.

5













32. Compounds of claim 31 wherein













$R^2$  is methoxy and  $R^3, R^5, R^6, R^9, R^{10}, R^{11}$  and  $R^{13}$  are hydrogen.

33. Compounds of claim 32 wherein  $R^{20}$  represents aryl, branched lower alkyl, a 3 to 7  
 10 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic  
 saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen,  
 oxygen, and sulfur.

34. Compounds of claim 33 selected from  
 15 table 1e

Name	Structure
N-[2-[4-(Cyclopropylcarboxamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[4-(Cyclobutylcarboxamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-pivalamidophenyl)-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1H-pyrrol-2-yl)carboxamido]phenyl]ethyl] oxalamide	

N-[2-[4-[(2-Furyl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(3-Furyl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(1H-Imidazol-4-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(Tetrahydro-2(RS)-furyl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-pyridyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(4-pyridyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-thienyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N-[1,1-dimethyl-2-[4-[(3-thienyl)carboxamido]phenyl]ethyl]oxalamide	
N-[2-[4-(2-Cyclopentylacetamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methylbenzamido)phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(4-methylbenzamido)phenyl]ethyl]oxalamide	
N-[2-[4-(Cycloheptylcarboxamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	






N-[2-[4-[(5-Isloxazolyl) carboxamido] phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[4-(Cyclopentylcarboxamido) phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[4-[(Tetrahydro-3(RS)-furyl) carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1-methyl-1H-pyrrol-2-yl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1,2,3-thiadiazol-4-yl)carboxamido]phenyl]ethyl]oxalamide	
N-[2-[4-(3-Fluorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Fluorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Methoxybenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Chlorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Chlorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Chlorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(1H-Indol-2-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[4-(dimethylamino)benzamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-(3,3-dimethylbutyramido)]phenyl]ethyl oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[2-(1-tetrazolyl)acetamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(5-oxo-2(S)-pyrrolidinyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(5-oxo-2(R)-pyrrolidinyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(2-naphthyl)carboxamido]phenyl]ethyl]oxalamide	
N-[2-[4-[(6-Cyano-3-pyridyl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Methoxybenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3,5-Difluorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(1H-Indol-5-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
(E)-N-[2-[4-(2-Butenamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Methoxyacetamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	




N-[3-methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-methyl-3-furyl)carboxamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(5-methyl-4-isoxazolyl)carboxamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(3-methyl-4-isoxazolyl)carboxamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(5-methyl-3-isoxazolyl)carboxamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N-[1,1-dimethyl-2-[4-[(1-oxido-3-pyridyl)carboxamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1-oxido-4-pyridyl)carboxamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(4,5-dimethyl-2-furyl)carboxamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2,5-dimethyl-2H-pyrazol-3-yl)carboxamido]phenyl]-1,1-dimethylethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(3-methyl-2-thienyl)carboxamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[2-(3-thienyl)acetamido]phenyl]ethyl]oxal amide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(4-methyl-2-thienyl)carboxamido]phenyl]ethyl]oxal amide	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(4-methyl-1,2,3-thiadiazol-5-yl)carboxamido]phenyl]ethyl]oxalamide	
N-[2-[4-(4-Acetamidobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3,4-Dimethoxybenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Chloro-2-methoxybenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2,6-Dichlorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(Bicyclo[4.2.0]octa-1(6),2,4-triene-7(RS)-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-oxo-2-phenylacetamido)phenyl]ethyl]oxalamide	
N-[2-[4-[2-(2-Fluorophenyl)acetamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[2-(4-Fluorophenyl)acetamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N-[2-[4-[(4-methoxy-3-thienyl)carboxamido]phenyl]-1,1-dimethylethyl]oxalamide	
N-[2-[4-(4-Acetylbenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	


N-[2-[4-[(1,3-Benzodioxol-5-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[2-(2-Chlorophenyl)acetamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[2-(4-Chlorophenyl)acetamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
tert-Butyl 4-[[4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]phenyl]carbamoyl]benzoate	
4-[[4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]phenyl]carbamoyl]benzoic acid	

35. Compounds of claim 14 of the formula



- 5 wherein  $R^2$ ,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^7$ ,  $R^9$  and  $R^{10}$  are defined as above,  
 $R^{11}$  and  $R^{13}$  are H or lower alkyl,  
 $n = 0$  or  $1$ ,  
 $R^a$ ,  $R^b$  are lower alkyl or  $R^a$  and  $R^b$  taken together with the carbon atom to which they are attached form a 3 to 7 member carbocycle, and
- 10  $R^{12}$  is heterocyclyl, aryl or lower cycloalkyl  
and Z is O, S or  $NR^{28}$ ,  
wherein  $R^{28}$  is H or lower alkyl.

36. Compounds of claim 35 of the formulas:



wherein  $R^2, R^3, R^5, R^6, R^7, R^9$  and  $R^{10}$  are defined as above

$R^{11}$  and  $R^{13}$  is H or lower alkyl,

5  $n=0$  or  $1$ ,  $(CH_2)_m, m=1$  to  $5$  and,

$R^{12}$  is heterocyclyl, aryl or lower cycloalkyl.

37. Compounds of claims 36 wherein

$R^2$  is methoxy and  $R^3, R^5, R^6, R^9, R^{10}, R^{11}$  and  $R^{13}$  are hydrogen.

10

38 Compounds of claim 37 wherein  $R^{12}$  represents aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

15 39. Compounds of claim 38 selected from

table 1f<sup>1</sup>

Name	Structure
N-[3-(4-Hydroxy-phenoxy)-1,1-dimethyl-propyl]-N'-[3-methoxy-4-oxazol-5-yl-phenyl]-oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(4-methoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-nitrophenoxy)propyl]oxalamide	
N-[3-(2-Hydroxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[3-(4-Amino-phenoxy)-1,1-dimethyl-propyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-[3-(4-Acetylamino-phenoxy)-1,1-dimethyl-propyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(3-pyridyloxy)propyl]oxalamide	
N-[3-(3-Hydroxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3-methoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(3-nitrophenoxy)propyl]oxalamide	
N-[3-(3-Aminophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
2-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	
2-[2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-3-phenoxypropyl)oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(1-oxido-3-pyridyloxy)propyl]oxalamide	
N-[3-(3,4-Dihydroxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-(methylcarbamoyl)phenoxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3,4-dimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-(4-[(2-Hydroxyethyl)carbamoyl]phenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(3-Chlorophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(3-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-pyridyloxy)propyl]oxalamide	
2-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]acetic acid	
2-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]acetic acid	
4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropoxy]benzoic acid	

4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-methylbenzoic acid	
3-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
3-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
3-[2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
2-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-3-methylbenzoic acid	
N-[3-(4-Cyano-2-methoxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(3-Cyanophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[4-(4-Acetyl-1-piperazinyl)phenoxy]-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-morpholinophenoxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(3-(dimethylamino)phenoxy)propyl]oxalamide	
N-[3-(1,3-Benzodioxol-5-yloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3,4,5-trimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3,5-dimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-(5,6,7,8-Tetrahydro-5-oxo-2-naphthoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(2-Acetamido-5-methylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(3-Acetamidophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(1H-Indol-4-yloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(2-Fluoro-6-methoxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-oxo-2H-1-benzopyran-7-yloxy)propyl]oxalamide	
N-[3-(4-Acetyl-3-methylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
(E)-N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-(3-oxo-1-butenyl)phenoxy)propyl]oxalamide	
N-[3-(3-Acetylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(4-Acetylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	




N-[3-(4-Acetamido-2-chlorophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(1-oxido-4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2,6-dimethyl-4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2,6-dimethyl-1-oxido-4-pyridyloxy)propyl]oxalamide	
N-[2-(4-Cyanophenoxy)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(2-methoxy-4-pyridyloxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(1H-tetrazol-5-yl)phenoxy]ethyl]oxalamide	
N-[3-(4-Cyanophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(3-Cyanophenoxy)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[3-(1H-tetrazol-5-yl)phenoxy]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-[4-(1H-tetrazol-5-yl)phenoxy]propyl]oxalamide	

Benzyl 2-methoxy-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoate	
3-Chloro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
2-Methoxy-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
3-Methoxy-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
2-Chloro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-quinolinecarboxylic acid	
(cis/trans)-4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-1-cyclohexanecarboxylic acid	
(cis/trans)-4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropoxy]-1-cyclohexanecarboxylic acid	
3-Fluoro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
3-Acetamido-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
3-(Methanesulfonamido)-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-3,5-dimethylbenzoic acid	

3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-pyridinecarboxylic acid	
8-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-quinolinecarboxylic acid	
5-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-indolecarboxylic acid	

40. Compounds of claim 35 of the formula:



wherein  $R^2$ ,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^7$ ,  $R^9$  and  $R^{10}$  are defined as above

$R^{11}$  and  $R^{13}$  is H or lower alkyl,

$n=0$  or  $1$ ,  $(CH_2)_m$ ,  $m=1$  to  $5$  and,

$R^{12}$  is heterocyclyl, aryl or lower cycloalkyl.

41. Compounds of claim 40 wherein

$R^2$  is methoxy and  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^9$ ,  $R^{10}$ ,  $R^{11}$  and  $R^{13}$  are hydrogen.


42. Compounds of claim 41 wherein  $R^{12}$  represents aryl, a 3 to 7 membered cycloalkyl ring,

or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

43. Compounds of claim 42 selected from:

4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopropyl]ethoxy]benzoic acid	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclobutyl]ethoxy]benzoate	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopentyl]ethoxy]benzoate	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclohexyl]ethoxy]benzoate	
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopentyl]ethoxy]benzoic acid	
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclohexyl]ethoxy]benzoic acid	
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclobutyl]ethoxy]benzoic acid	

#### 44. Compounds of claim 35 of the formula



wherein  $R^2$ ,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^7$ ,  $R^9$  and  $R^{10}$  are defined as above,

5  $R^{11}$  and  $R^{13}$  are H or lower alkyl,

$n = 0$  or  $1$ ,

$R^a$ ,  $R^b$  are lower alkyl or  $R^a$  and  $R^b$  taken together with the carbon atom to which they are attached form a 3 to 7 member carbocycle,

$R^{12}$  is heterocyclyl, aryl or lower cycloalkyl.

45. Compounds of claim 44 wherein  $R^2$  is methoxy and  $R^3, R^5, R^6, R^9, R^{10}, R^{11}$  and  $R^{13}$  are hydrogen.




5 46. Compounds of claim 45 wherein  $R^{12}$  represents aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

47. Compounds of claim 46 selected from


table 1f<sup>2</sup>

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl]oxalamide	
N-[2-(4-Hydroxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(2-pyridylthio)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-pyridylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-thienylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-pyrimidylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-pyridylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-thiazolylthio)propyl]oxalamide	

N-[3-(4-Hydroxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(5-methyl-1,3,4-thiadiazol-2-ylthio)propyl]oxalamide	
N-[3-(2-Benzooxazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(2-Benzothiazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
Methyl 4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropylthio]benzoate	
tert-Butyl 6-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylate	
6-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylic acid trifluoroacetate (1:1)	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]benzoic acid	
N-[2-(4-Benzyloxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(4-Benzyloxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-5-benzoxazolecarboxylic acid	
N-[3-(1H-Imidazol-2-ylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylic acid trifluoroacetate (1:1)	
4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropylthio]benzoic acid	
2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-6-benzoxazolecarboxylic acid	

48. Compounds of claim 35 of the formula



wherein  $R^2, R^3, R^5, R^6, R^7, R^9$  and  $R^{10}$  are defined as above,

5  $R^{11}, R^{13}$  and  $R^{28}$  are H or lower alkyl,

$n = 0$  or  $1$ ,

$R^a, R^b$  are lower alkyl or  $R^a$  and  $R^b$  taken together with the carbon atom to which they are attached form a 3 to 7 member carbocycle, and

$R^{12}$  is heterocyclyl, aryl or lower cycloalkyl.

10

49. Compound of claim 48, wherein  $R^2$  is methoxy and  $R^3, R^5, R^6, R^7, R^{10}, R^{11}$  and  $R^{13}$  are hydrogen and  $R^{28}$  is hydrogen or methyl.

50. Compounds of claim 49 wherein  $R^{12}$  represents aryl.


15

51. Compounds of claim 50 selected from

table 1f<sup>3</sup>

Name	Structure	MS(ES) (M+H) <sup>+</sup>	Ex No
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(N-methylanilino)ethyl] oxalamide		423	632
N-(3-Anilino-1,1-dimethylpropyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide hydrochloride (1:1)		423	633
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylamino]benzoic acid		467	634

52. Compounds of claim 14 of the formula



wherein R<sup>2</sup>, R<sup>3</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup>, R<sup>9</sup> and R<sup>10</sup> are defined as above,

R<sup>11</sup> and R<sup>13</sup> is H or lower alkyl,

n = 0 or 1

R<sup>21</sup> is phenyl, phenyl alkyl, phenyl carbonyl, phenyl sulfonyl.













53. Compounds of claim 52 wherein R<sup>2</sup> is methoxy, R<sup>3</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>9</sup>, R<sup>10</sup>, R<sup>11</sup> and R<sup>13</sup> are hydrogen.











54. Compounds of claim 53 selected from



























table 1g












Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-phenyl-1-piperazinyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(4-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-phenyl-1-piperazinyl)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(2-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[2-(4-Benzyl-1-piperazinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Benzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(4-Benzoyl-1-piperazinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-(Trifluoromethyl)phenyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methylphenyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(2-Fluorophenyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	












N-[2-[4-(4-Fluorophenyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(2-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-thiophenesulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2,4,6-trimethylbenzenesulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(4-Fluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Trifluoromethanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Isopropylsulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
(E)-N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(styrylsulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(Ethanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(propanesulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(3-Chloropropanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(o-toluenesulfonyl)-1-piperazinyl]ethyl]oxalamide	













N-[2-[4-(2-Fluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Cyanobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3,5-dimethyl-4-isoxazolylsulfonyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[2-[4-(5-Fluoro-2-methylbenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2,5-Difluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(1-methyl-1H-imidazole-4-sulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(2,6-Difluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3,4-Difluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Cyclohexylmethanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-phenylethanesulfonyl)-1-piperazinyl]ethyl]oxalamide	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(2,4-dimethoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(4-methylphenyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2,4-dimethylphenyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3,4-dimethoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[2-(4-Cyclohexyl-1-piperazinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Cyclohexylmethyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Methoxybenzyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Hydroxybenzyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methylbenzyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-thenyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2(RS)-phenylpropyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-pivaloyl-1-piperazinyl)ethyl]oxalamide	



N-[2-[4-(2-Furoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-thenoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(3-thenoyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(2-Cyclopentylacetyl)-1-piperazinyl]-1,1-dimethyl-ethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Cyclohexylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methylbenzoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(4-methylbenzoyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(2-Cycloheptylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1H-pyrazol-4-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(2-Cyclopentylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-Dimethyl-2-[4-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1,2,3-thiadiazol-4-yl)carbonyl]-1-piperazinyl]-ethyl]oxalamide	

N-[2-[4-(3-Fluorobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Fluorobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Cyclopropylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Cyclohexylacetyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3,3-dimethylbutyryl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[2-[4-(3-Hydroxy-2,2-dimethylpropionyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(3-methyl-2-furoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methyl-3-furoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(5-methyl-1H-pyrazol-3-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(5-methyl-4-isoxazolyl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(5-methyl-3-isoxazolyl)carbonyl]-1-piperazinyl]ethyl]oxalamide	


N-[2-[4-(4-Aminobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Hydroxybenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Hydroxybenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2,5-dimethyl-2H-pyrazol-3-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(3-methyl-2-thenoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(4-methyl-2-thenoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2,2,3,3-tetramethyl-1-cyclopropyl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(4-methyl-1,2,3-thiadiazol-5-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(3-Cyanobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(Bicyclo[4.2.0]octa-1(6),2,4-trien-7-yl)carbonyl]-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Hydroxybenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[2-[4-(2-Ethylbutyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-phenylethyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[3-(methylthio)propyl]-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(2,6-Difluorobenzyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Furfuryl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(2-Benzofuranyl)methyl]-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Cyanobenzyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3,3-dimethylbutyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-quinolyl)methyl]-1-piperazinyl]ethyl]oxalamide	
tert-Butyl 4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-1-piperazineacetate	
4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-1-piperazineacetic acid trifluoroacetate (1:1)	
N-[2-[4-(Cyclopropylmethyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	



tert-Butyl 4-[4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-1-piperazinyl]benzoate	
4-[4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-1-piperazinyl]benzoic acid trifluoroacetate (1:1)	

55. Compounds of claim 14 of the formula



wherein  $R^2, R^3, R^5, R^6, R^7, R^9, R^{10}$  and  $R^{13}$  are defined as above

$R^{22}, R^{23}, R^{24}, R^{25}$  and  $R^{26}$  are H or lower alkyl



$R^{27}$  is alkyl, aryl or heterocyclyl, alkoxy, aryloxy, heterocyclyl oxy.

56. Compounds of claim 55 wherein  $R^2$  is methoxy,  $R^3, R^5, R^6, R^9, R^{10}, R^{13}, R^{22}, R^{23}, R^{24}, R^{25}$  and  $R^{26}$  are hydrogen.

57. Compounds of claim 56 wherein  $R^{27}$  is aryl or aryloxy.


58. Compounds of claim 57 selected from

table 1h

Phenyl [3-[[[4-(5-oxazolyl)anilino]oxalyl]amino]benzyl] carbamate	
N-[3-[(3-Fluorobenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[3-[(3-Chlorobenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[(3-Methoxybenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[(3,4-Dimethoxybenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[(3-Cyanobenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

59. Compounds of claim 14 of the formula




wherein  $R^2$ ,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^7$  and  $R^{10}$  are defined as above

5  $R^{11}$  and  $R^{13}$  is H or lower alkyl and

$R^{12}$  is heterocyclyl, aryl or lower cycloalkyl.

60. Compounds of claim 59 wherein  $R^2$  is methoxy,  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^9$ ,  $R^{10}$ ,  $R^{11}$  and  $R^{13}$  are hydrogen and wherein  $R^{12}$  is phenyl or



10

wherein  $R^{21}$  is phenyl, phenyl alkyl, phenyl carbonyl, or phenyl sulfonyl.

61. Compounds of claim 60 selected from

table 1i

N-[3-Methoxy-4-(4-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-phenyl-1-piperazinyl)ethyl] oxalamide	
N-[2-(4-Benzoyloxyphenyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(4-oxazolyl)phenyl] oxalamide	
N-[2-(4-Hydroxyphenyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(4-oxazolyl)phenyl] oxalamide	
N-[3-Methoxy-4-(4-oxazolyl)phenyl]-N'-[2-[4-(4-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl] oxalamide	
N-[3-Methoxy-4-(2-methyl-4-oxazolyl)-phenyl]-N'-[2-[4-(4-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl] oxalamide	

62. Compounds of claim 14 wherein  $R^2$  is methoxy,  $R^4$ ,  $R^7$ , and  $R^8$  are as in claim 1, and  $R^3$ ,  $R^5$ ,  $R^6$ ,  $R^9$ , and  $R^{10}$  are hydrogen.

63. Compounds of claim 61 selected from


table 1b

Name	Structure
Benzyl 4-{2-[[[3-methoxy-4-(5-oxazolyl)phenylamino]oxalyl]amino]-2-methylpropyl}-1-piperidinecarboxylate	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl] oxalamide	
N-[2-(1-Acetyl-4-piperidinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-(2-Cyclohexyl-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(N-methylanilino)ethyl]oxalamide	
N-[2-(1,2,3,4-Tetrahydro-1-quinolyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(4-Hydroxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(4-Hydroxyphenyl)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[(1-oxido-4-pyridyl)carboxamido]ethyl]oxalamide	
N-[2-(4-Acetylbenzamido)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-[(4-methylbenzamido)methyl]phenyl]oxalamide	
N-[3-[(2-Methoxybenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[(4-Chlorobenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[[[(1,3-Benzodioxol-5-yl)carboxamido]methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(2,3-Dihydro-1-indolyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[2-(3,4-Dihydro-6-methyl-2H-quinol-1-yl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[1-(3-Benzofuranyl)-1-methylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-phenoxy-piperidino)propyl]oxalamide	
N-[2-(1-Butyryl-4-piperidinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[1-(Methanesulfonyl)-4-piperidinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[1-(Benzenesulfonyl)-4-piperidinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(1-Isobutyryl-4-piperidinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
tert-Butyl 4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino] oxalyl] amino]-3-methylbutyl]-1-piperidinecarboxylate	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-piperidinyl)propyl]oxalamide	


64. Compounds of the general formula



(IV)

wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^5$ ,  $R^6$  and  $R^7$  are defined as in Claim 1.

65. Compounds of the general formula



(VIII)

wherein  $R^2$ ,  $R^3$ ,  $R^5$ ,  $R^6$  and  $R^7$  are defined as in Claim 1, and  $R^9$  and  $R^{10}$  are defined as in Claim 4.

66. A pharmaceutical composition comprising a compound of claim 1, or its pharmaceutically acceptable salt, and a pharmaceutically acceptable carrier, diluent or adjuvant, and, optionally, one or more additional therapeutically active substance(s).

67. A pharmaceutical composition of Claim 66, wherein the one or more additional therapeutically active substance(s) is an immunosuppressant, a chemotherapeutic agent, an anti-viral agent, an antibiotic, an anti-parasitic agent, an anti-fungal agent, an anti-inflammatory agent and/or an anti-vascular hyperproliferation agent.

68. A pharmaceutical composition of Claim 67, wherein the one or more additional therapeutically active substance(s) is interferon or a derivative thereof.

69. A method of treating an immune mediated condition or disease, a viral disease, a bacterial disease, a parasitic disease, inflammation, an inflammatory disease, a hyperproliferative vascular disease, a tumour, or cancer in a subject, comprising the step of administering to the subject a therapeutically effective amount of a compound of claim 1, or its pharmaceutically acceptable salts.

70. A method of treating an IMPDH mediated disease comprising the step of administering to the subject a therapeutically effective amount of a compound of claim 1, or its pharmaceutically acceptable salts.

71. A method of treating an immune mediated condition or disease, a viral disease, a bacterial disease, a parasitic disease, inflammation, an inflammatory disease, a hyperproliferative vascular disease, a tumour, or cancer in a subject, comprising the steps of (a) administering to the subject a therapeutically effective amount of a compound of any one of claim 1, or its pharmaceutically acceptable salt, and (b) concurrently or sequentially administering to the subject one or more additional therapeutically active substance(s).

72. A method of Claim 71, wherein the one or more additional therapeutically active substance(s) is selected from the group consisting of an immunosuppressant, a chemotherapeutic agent, an anti-viral agent, an antibiotic, an anti-parasitic agent, an anti-fungal agent, an anti-inflammatory agent and an anti-vascular hyperproliferation agent.

73. A method of Claim 72, wherein the one or more additional therapeutically active substance(s) is interferon or a derivative thereof.